ecoDMS

Version 14.08 (krusty)

Installation manual

of all ecoDMS components

Imprint

Build-No		14.08 (10)
Language		EN
Copyright	© 2015 by	ecoDMS GmbH Salierallee 18a 52066 Aachen Germany
E-Mail Sales		info@ecodms.de
Website		www.ecodms.de
Phone Sales		+49 (0) 241 47 57 2 01
Text and Design		ecoDMS GmbH
Seat of the Company		Aachen
Court of registration		Aachen County Court Register of Companies 19201
Management		Michael Schmitz (Dipl. -Betrw. [degree in business administration]) Helge Lühmann

Important Information

This manual supplied by ecoDMS GmbH is protected by copyright law. Any use of text and illustrations, particularly reproduction, which requires the translation or import into electronic systems, in whole or in part, requires the previous written approval by ecoDMS GmbH, Salierallee 18a, 52066 Aachen. Please note that the violation of copyright law is an offence.

NO GUARANTEE All technical information and screenshots in this manual have been prepared with great care. Nevertheless, errors cannot be entirely excluded. ecoDMS GmbH neither provides any guarantee nor accepts any legal responsibility or liability for consequences resulting from incorrect information. The author welcomes any suggestions for improvement or information regarding errors.

Contents

1 Windows Installations **6**
1.1 AllinOne Installation . . . 6
1.2 ecoDMS Server . . . 8
1.3 ecoDMS Client . . . 14
1.4 ecoICE Client . . . 18
1.5 PDF/A Printer . . . 22
1.6 Microsoft Office Plugin . . . 26
1.7 Open-und LibreOffice Plugin . . . 31
1.8 Thunderbird Add-on . . . 34
1.9 postgreSQL: Manually Installation . . . 37
1.10 Activate License . . . 38

2 Windows Uninstallations **39**
2.1 ecoDMS Server . . . 39
2.2 ecoDMS Client . . . 40
2.3 ecoICE Client . . . 41
2.4 ecoDMS PDF/A Printer . . . 42
2.5 Microsoft Office Plugin . . . 43
2.6 Open-and LibreOffice . . . 44
2.7 Thunderbird Add-on . . . 45

3 Ubuntu / Debian Installations **47**
3.1 Edit Editor & apt Sources . . . 47
3.2 ecoDMS Server . . . 48
3.2.1 ecoDMS Server in a virtualised Linux environment . . . 49
3.3 ecoDMS Client . . . 49
3.4 ecoICE Client . . . 50
3.5 ecoDMS PDF/A Printer . . . 51
3.6 Open-und LibreOffice Plugin . . . 52
3.7 Thunderbird Add-on . . . 54
3.8 Activate License . . . 57

4 Ubuntu/Debian Uninstallations **58**
4.1 ecoDMS Server . . . 58
4.2 ecoDMS Client . . . 58
4.3 ecoICE Client . . . 59
4.4 ecoDMS PDF/A Printer . . . 59
4.5 Open-and LibreOffice Plugin . . . 59
4.6 Thunderbird Add-on . . . 60

5 MacOS Installations **63**
5.1 ecoDMS & ecoICE Clients . . . 63
5.2 Open-und LibreOffice Plugin . . . 67
5.3 Thunderbird Add-on . . . 70

6 MacOS Uninstallations **74**
6.1 ecoDMS & ecoICE Clients . . . 74
6.2 Open-and LibreOffice Plugin . . . 74
6.3 Thunderbird Add-on . . . 75

7 Access Data **78**
7.1 System Administrator 78
7.2 PostgreSQL Datenbase 78
7.3 Scaninput Folder 78

8 Troubleshooting & Support **79**

9 System Requirements **80**

1 Windows Installations

The following section describes how to install the available ecoDMS components under Windows.

1.1 AllinOne Installation

Use the “AllinOne Installer” to install all necessary components (ecoDMS Server, ecoDMS Client, ecoICE Client, PDF/A Printer) in one installation. The “AllinOne Installer” performs the installation for all selected components one after the other. If all ecoDMS components are installed on one workstation, a profile is already created and shown in the ecoDMS "Connection Manager". Please read the chapter “Access Data” to get more information about the login information.**If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.**

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 1.1: Exit Connection Manager

2. Download the file for the "AllinOne Installer" at ecodms.de.
3. Unpack the zip file.
4. Execute the installation file "....exe".
5. Select the language for the installation of ecoDMS server.
   a) Please read the language messages at the top of this chapter.



Fig. (similar) 1.2: AllinOne Installer: Language Selection

6. Click "Next" in the "Start Screen".

AllInOneInstaller - ecoDMS Setup
www.ecodms.de
Willkommen beim InstallJammer Assistenten für AllInOneInstaller - ecoDMS
Dies wird ecoDMS 12.05 auf Ihrem Computer installieren.
Es wird empfohlen, das Sie alle anderen Anwendungen schließen, bevor Sie fortfahren.
Klicken Sie auf Weiter um Fortzufahren oder auf Abbrechen, um das Setup zu beenden.
Weiter >
Abbrechen

Fig. (similar) 1.3: Startscreen AllineOne Installer

7. Select the components you want to install. Then click "Next".



Fig. (similar) 1.4: AllineOne Installer - Select Components

8. The installation of the selected components is prepared. This process may take some time.



Fig. (similar) 1.5: AllineOne Installer - Vorbereitung der Installation

9. Follow the installation instructions for the selected components. In this case, always start at Step 5.

1.2 ecoDMS Server

- **Function / component available for: Windows (according to system requirements)**
- **Before installing a new version of ecoDMS / before updating/ upgrading ecoDMS, a full and clean backup of the database should always be created.**
- **After an upgrade, a downgrade is only possible to an older ecoDMS version when there is a full backup of the previous version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**
- **If ecoDMS has been uninstalled and you want to reinstall, the computer must be restarted first.**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **postgreSQL and Java are essential for the use and installation of the ecoDMS server.**
- **The database folder (postgreSQL) must not contain any spaces, umlauts or special characters and must be located on a local hard disk. To do so, do not use a network drive or an NAS drive (no share folder).**
- **If postgreSQL is already installed, the installation of the ecoDMS server does not create a new instance. A new database (ecodms) is created in the existing instance.**
- **If postgreSQL was installed manually, you must disable the postgreSQL installation when the ecoDMS server is installed afterwards.**
- **If postgreSQL was installed manually, ensure that it was the postgreSQL version supported by ecoDMS (postgreSQL 9.3.X - 32bit). During the installation, the access data for the existing postgreSQL database is requested. If the existing postgreSQL version does not match the ecoDMS version, postgreSQL - if not disabled in the ecoDMS installer - is installed parallel to the existing system.**
- **If postgreSQL was installed manually, ensure that the postgre service is started before the ecoDMS server starts. Otherwise the ecoDMS server can not be started.**
- **On Windows systems, the installation must be executed by a local administrator (not a domain administrator).**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 1.6: Exit Connection Manager

2. Download the file for the "ecoDMS Server" at ecodms.de.
3. Unpack the zip file.
4. Execute the installation file "....exe".
5. Select the language for the installation of ecoDMS server.
   a) Please read the language messages at the top of this chapter.



Fig. (similar) 1.7: ecoDMS Server: Language Selection

6. Confirm the dialogue box with "Yes".



Fig. (similar) 1.8: ecoDMS Server: Information

7. Click "Next" in the "Start Screen".

ecoDMS Server Setup
www.ecodms.de
Welcome to the InstallJammer Wizard for ecoDMS Server
This will install ecoDMS Server version 14.08 on your computer.
It is recommended that you close all other applications before continuing.
Click Next to continue or Cancel to exit Setup.
Next >
Cancel

Fig. (similar) 1.9: Start Screen ecoDMS Server

8. Read the License Agreement carefully and tick the check box "I accept the terms of the License Agreement". Click "Next" to continue.


ecoDMS Server Setup
License Agreement
Please read the following license agreement carefully.
I accept the terms of the license agreement.
I do not accept the terms of the license agreement.
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.10: ecoDMS Server: License Agreement

9. Select the server components you want to install. We recommend you install "ecoDMS Server 12.05" and "PostgreSQL". If the installation is an update, only the "ecoDMS Server 12.05" is displayed here for selection.



Fig. (similar) 1.11: ecoDMS Server: Select Components

10. Select the installation destination. You can change the suggested path by clicking "Browse".


ecoDMS Server Setup
Choose Destination Location
Where should ecoDMS Server be installed?
Setup will install ecoDMS Server in the following folder.
To install to this folder, click Next. To install to a different folder, click Browse and select another folder.
Destination Folder
C:\Program Files (x86)\ecoDMS GmbH\ecoDMS Server
Browse...
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.12: ecoDMS Server: Installation Destination

11. If the ecoDMS server is installed for the first time, the ports selection for ecoDMS displays now. Select the default port for ecoDMS and for the database. If this is a default installation, the predefined ports should not be changed. The ports are used, for example, for the client connections and for the database. If the selected port is already occupied, an error message appears.



Fig. (similar) 1.13: ecoDMS Server: Enter Port

12. Select the folder in which you want ecoDMS to save the archived documents. We recommend you do not change the default folder. Please note that the the database directory has to be stored on a local disk.



Fig. (similar) 1.14: ecoDMS Server: Data Path

13. The setup dialogue box displays the installation information. Confirm the information with "Next".


ecoDMS Server Setup
Start Copying Files
Review settings before copying files
Setup has enough information to start copying the program files. If you want to review or change any settings, click Back. If you are satisfied with the settings, click Next to begin copying files.
Install Directory:
C:\Program Files (x86)\ecoDMS GmbH\ecoDMS Server
Setup Type:
Typical
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.15: ecoDMS Server: Copy Files

14. The selected server components are installed. This operation may take a while.



Fig. (similar) 1.16: ecoDMS Server: Installing ecoDMS Server & postgreSQL



Fig. (similar) 1.17: ecoDMS Server: Installation postgreSQL

15. The installation of the ecoDMS server is complete. Click "Finish".
    a) We recommend you the restart the system now.

ecoDMS Server Setup
InstallJammer Wizard Complete
The InstallJammer Wizard has successfully installed ecoDMS Server. Click Finish to exit the wizard.
www.ecodms.de
Reboot system now (recommend).
Finish

Fig. (similar) 1.18: ecoDMS Server: Installation Complete

1.3 ecoDMS Client

- **Function / component available for: Windows (according to system requirements)**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

The Connection Manager is integrated with the installation of ecoDMS. With this installation, the ecoDMS client and the Connection Manager are installed.

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager.



Fig. (similar) 1.19: Exit Connection Manager

2. Download the file for the "ecoDMS and ecoICE Client" at ecodms.de.
3. Unpack the zip file.
4. Execute the installation file "....exe" for ecoDMS.
5. Select the language for the installation of ecoDMS.
   a) Please read the language messages at the top of this chapter.



Fig. (similar) 1.20: ecoDMS: Language Selection

6. Confirm the dialogue box with "Yes".



Fig. (similar) 1.21: ecoDMS: Message

7. Click "Next" in the "Start Screen".

ecoDMS - Client Setup
www.ecodms.de
Welcome to the InstallJammer Wizard for ecoDMS - Client
This will install ecoDMS - Client version 14.08 on your computer.
It is recommended that you close all other applications before continuing.
Click Next to continue or Cancel to exit Setup.
Next >
Cancel

Fig. (similar) 1.22: Start Screen ecoDMS

8. Read the License Agreement carefully and tick the check box "I accept the terms of the License Agreement". Click "Next" to continue.


ecoDMS - Client Setup
License Agreement
Please read the following license agreement carefully.
I accept the terms of the license agreement.
I do not accept the terms of the license agreement.
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.23: ecoDMS: License Agreement

9. Select the installation destination. You can change the suggested path by clicking "Browse".


ecoDMS - Client Setup
Choose Destination Location
Where should ecoDMS - Client be installed?
Setup will install ecoDMS - Client in the following folder.
To install to this folder, click Next. To install to a different folder, click Browse and select another folder.
Destination Folder
C:\Program Files (x86)\ecoDMS GmbH\ecoDMS - Client
Browse...
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.24: ecoDMS: Installation Destination

10. The setup dialogue box displays the installation information. Confirm the information with "Next".


ecoDMS - Client Setup
Start Copying Files
Review settings before copying files
Setup has enough information to start copying the program files. If you want to review or change any settings, click Back. If you are satisfied with the settings, click Next to begin copying files.
Install Directory:
C:\Program Files (x86)\ecoDMS GmbH\ecoDMS - Client
Setup Type:
Typical
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.25: ecoDMS: Copy Files

11. The installation is performed. This operation may take a while.



Fig. (similar) 1.26: ecoDMS: Installation

12. The installation is complete. Click "Finish".

ecoDMS - Client Setup
InstallJammer Wizard Complete
The InstallJammer Wizard has successfully installed ecoDMS - Client. Click Finish to exit the wizard.
www.ecodms.de
Create Desktop Shortcut
Create Quick Launch Shortcut
Finish
Cancel

Fig. (similar) 1.27: ecoDMS: Installation Complete

1.4 ecoICE Client

- **Function / component available for: Windows (according to system requirements)**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Vermischen Sie auf keinen Fall die Komponenten einer früheren ecoDMS Version (z.B. 12.05, 11.06) mit dieser Version.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager.



Fig. (similar) 1.28: Exit Connection Manager

2. Download the file for the "ecoDMS and ecoICE Client" at ecodms.de.
3. Unpack the zip file.
4. Execute the installation file "....exe" for ecoICE.
5. Select the language for the installation of ecoICE.
   a) Please read the language messages at the top of this chapter.



Fig. (similar) 1.29: ecoICE: Language Selection

6. Confirm the dialogue box with "Yes".


Installiere ecoICE - Image Correction Editor
Dies wird ecoICE - Image Correction Editor auf Ihrem Computer installieren. Weitermachen?
Ja
Nein

Fig. (similar) 1.30: ecoICE: Message

7. Click "Next" in the "Start Screen"

ecoICE - Image Correction Editor Setup
www.ecodms.de
Willkommen beim InstallJammer Assistenten für ecoICE - Image Correction Editor
Dies wird ecoICE - Image Correction Editor Version 14.08 auf Ihrem Computer installieren.
Es wird empfohlen, das Sie alle anderen Anwendungen schließen, bevor Sie fortfahren.
Klicken Sie auf Weiter um Fortzufahren oder auf Abbrechen, um das Setup zu beenden.
Weiter >
Abbrechen

Fig. (similar) 1.31: Start Screen ecoICE

8. Read the License Agreement carefully and tick the check box "I accept the terms of the License Agreement". Click "Next" to continue.


ecoICE - Image Correction Editor Setup
Lizenzbestimmungen
Bitte lesen Sie die folgenden Lizenzbestimmungen aufmerksam.
„ecoDMS"- Lizenzbestimmungen: EULA (End User License Agreement)
Diese Software aus der ecoDMS — Computerprogrammgruppe ist urheberrechtlich geschützt für die
applord GmbH
Salierallee 18a
D-52066 Aachen
Fon: +49 (0) 241 47 57 2 – 10
Fax: +49 (0) 241 47 57 2 – 29
E-Mail: info@applord.de
http://www.applord.de
Ich akzeptiere die Lizenzbestimmungen.
Ich akzeptiere nicht die Lizenzbestimmungen.
InstallJammer
< Zurück
Weiter >
Abbrechen

Fig. (similar) 1.32: ecoICE: License Agreement

9. Select the installation destination. You can change the suggested path by clicking "Browse".


ecoICE - Image Correction Editor Setup
Auswahl Installationsziel
Wohin soll ecoICE - Image Correction Editor installiert werden?
Setup wird ecoICE - Image Correction Editor in das folgende Verzeichnis installieren.
Klicken Sie auf Weiter, wenn dieses Verzeichnis verwendet werden soll. Um ein anderes Verzeichnis auszuwählen, klicken Sie auf Durchsuchen und wählen ein anderes aus.
Zielordner
C:\Program Files (x86)\ecoDMS GmbH\ecoICE - Image Correction Editor
Durchsuchen...
InstallJammer
< Zurück
Weiter >
Abbrechen

Fig. (similar) 1.33: ecoICE: Installation Destination

10. The setup dialogue box displays the installation information. Confirm the information with "Next".


ecoICE - Image Correction Editor Setup
Kopieren der Dateien
Überprüfen Sie die Einstellungen, bevor die Dateien kopiert werden.
Setup hat genug Informationen, um die Programmdateien zu kopieren. Wenn Sie die Einstellungen überprüfen oder ändern möchten, klicken Sie auf Zurück. Wenn Sie mit den Einstellungen zufrieden sind, klicken Sie auf Weiter, um mit dem Kopieren der Dateien zu beginnen.
Installationsverzeichnis:
C:\Program Files (x86)\ecoDMS GmbH\ecoICE - Image Correction Editor
Setup Art:
Typical
InstallJammer
< Zurück
Weiter >
Abbrechen

Fig. (similar) 1.34: ecoICE: Copy Files

11. The installation is performed. This operation may take a while.


ecoICE - Image Correction Editor Setup
Installation
Installiere ecoICE - Image Correction Editor
Bitte warten Sie, während Setup ecoICE - Image Correction Editor auf Ihrem Computer installiert.
Installiere Program Files
InstallJammer
< Zurück
Weiter >
Abbrechen

Fig. (similar) 1.35: ecoICE: Installation

12. The installation is complete. Click "Finish".

ecoICE - Image Correction Editor Setup
Installation Abgeschlossen
InstallJammer hat ecoICE - Image Correction Editor erfolgreich installiert. Klicken Sie auf Beenden, um den Assistenten zu verlassen.
www.ecodms.de
Desktop Verknüpfung anlegen
Verknüpfung Schnellstartleiste anlegen
Beenden
Abbrechen

Fig. (similar) 1.36: ecoDMS: Installation Complete

1.5 PDF/A Printer

- **Function / component available for: Windows (according to system requirements)**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

The installation of the ecoDMS PDF/A printer is performed (if selected - recommended!).

1. Download the file for the "ecoDMS PDF/A Printer" at ecodms.de.
2. Unpack the zip file.
3. Execute the installation file "....exe".
4. Select the language for the installation of ecoDMS PDF/A printer.
   a) Please read the language messages at the top of this chapter.



Fig. (similar) 1.37: PDF/A Printer: Language Selection

5. Confirm the dialogue box with "Yes".



Fig. (similar) 1.38: PDF/A Printer: Message

6. Click "Next" in the "Start Screen".

ecoDMS - Printer Setup
www.ecodms.de
Welcome to the InstallJammer Wizard for ecoDMS - Printer
This will install ecoDMS - Printer version 14.08 on your computer.
It is recommended that you close all other applications before continuing.
Click Next to continue or Cancel to exit Setup.
Next >
Cancel

Fig. (similar) 1.39: Start Screen PDF/A Printer

7. Read the License Agreement carefully and tick the check box "I accept the terms of the License Agreement". Click "Next" to continue.


ecoDMS - Printer Setup
License Agreement
Please read the following license agreement carefully.
ecoDMS Licence Terms — End User License Agreement (EULA)
This software from the ecoDMS computer program group is the copyright of
ecoDMS GmbH
Salierallee 18a
D-52066 Aachen
Tel.: +49 (0) 241 47 57 2–01
Fax: +49 (0) 241 47 57 2–29
E-Mail: info@ecoDMS.de
http://www.ecoDMS.de
Management:
Michael Schmitz (Dipl. –Betrw. [degree in business administration])
Helge Lühmann
I accept the terms of the license agreement.
I do not accept the terms of the license agreement.
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.40: PDF/A Printer: License Agreement

8. Select the installation destination. You can change the suggested path by clicking "Browse".


ecoDMS - Printer Setup
Choose Destination Location
Where should ecoDMS - Printer be installed?
Setup will install ecoDMS - Printer in the following folder.
To install to this folder, click Next. To install to a different folder, click Browse and select another folder.
Destination Folder
C:\Program Files (x86)\ecoDMS GmbH\ecoDMS - Printer
Browse...
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.41: PDF/A Printer: Installation Destination

9. The setup dialogue box displays the installation information. Confirm the information with "Next".


ecoDMS - Printer Setup
Start Copying Files
Review settings before copying files
Setup has enough information to start copying the program files. If you want to review or change any settings, click Back. If you are satisfied with the settings, click Next to begin copying files.
Setup Type:
Typical
InstallJammer
< Back
Next >
Cancel

Fig. (similar) 1.42: PDF/A Printer: Copy Files

10. The installation is performed. This operation may take a while.



Fig. (similar) 1.43: PDF/A Printer: Installation

11. Confirm the Windows confirmation prompt with "Install".


Windows-Sicherheit
Möchten Sie diese Gerätesoftware installieren?
Name: applord GmbH Drucker
Herausgeber: applord GmbH
Software von "applord GmbH" immer vertrauen
Installieren
Nicht installieren
Sie sollten nur Treibersoftware von vertrauenswürdigen Herausgebern installieren. Wie kann festgestellt werden, welche Gerätesoftware bedenkenlos installiert werden kann?

Fig. (similar) 1.44: PDF/A Printer: Confirmation Prompt

12. The installation is complete.
    a) Please read the information in the window.
    b) Click "Finish".

ecoDMS - Printer Setup
InstallJammer Wizard Complete
The InstallJammer Wizard has successfully installed ecoDMS - Printer. Click Finish to exit the wizard.
www.ecodms.de
If your are useig a printer spooler dependend service, restart this services or restart the computer!
Finish
Cancel

Fig. (similar) 1.45: PDF/A Printer: Installation Complete

1.6 Microsoft Office Plugin

- **Function / component available for: Windows (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **The prerequisite for the use of this Plugin is the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. **Please exit all MS Office programmes BEFORE the installation!**
2. Download the file for the "ecoDMS MS Office Plugin" at ecodms.de.
3. Unpack the zip file.
4. Execute the "**setup.exe**" file (NOT: ecoDMSOfficePluginSetup.msi) to start the installer.
5. In the first step you must accept the License Agreement for Microsoft .NET Framework. To do so, click "I accept". If this "Framework" is already installed on your computer, the setup skips this step.


ecoDMSOfficePlugin-Setup
Für die folgenden Komponenten:
Microsoft .NET Framework 4 Client Profile (x86 und x64)
Lesen Sie den folgenden Lizenzvertrag. Verwenden Sie die BILD-AB-Taste, um den Rest des Vertrags anzuzeigen.
ERGÄNZENDE LIZENZBESTIMMUNGEN FÜR MICROSOFT-SOFTWARE
MICROSOFT .NET FRAMEWORK 4 FÜR MICROSOFT WINDOWS-BETRIEBSSYSTEM
MICROSOFT .NET FRAMEWORK 4 CLIENT PROFILE FÜR MICROSOFT WINDOWS-BETRIEBSSYSTEM
Druckansicht der Microsoft-Software-Lizenzbedingungen
Stimmen Sie den Bedingungen des Lizenzvertrags zu?
Wenn Sie auf "Ich stimme nicht zu" klicken, wird die Installation abgebrochen. Für die Installation müssen Sie zustimmen.
Ich stimme zu
Ich stimme nicht zu

Fig. (similar) 1.46: MS Office Plugin - Lizence: Framework

6. The "Framework" installation follows. This operation may take a while. If this "Framework" is already installed on your computer, the setup skips this step.



Fig. (similar) 1.47: MS Office Plugin - Installation Framework

7. The setup wizard for the actual plugin installation opens. Click "Next".


ecoDMSOfficePlugin-Setup
Willkommen beim Setup-Assistenten von ecoDMSOfficePlugin
ecoDMSOfficePlugin wird auf dem Computer installiert.
Klicken Sie auf "Weiter", um den Vorgang fortzusetzen, oder auf "Abbrechen", um den Setup-Assistenten zu beenden.
Zurück
Weiter
Abbrechen

Fig. (similar) 1.48: MS Office Plugin - Start Setup Wizard

8. Read the License Agreement carefully and tick the checkbox "I accept the terms of the License Agreement". Click "Next" to continue.



Fig. (similar) 1.49: MS Office Plugin - ecoDMS License Agreement

9. Select the installation destination. You can change the suggested path by clicking "Change".



Fig. (similar) 1.50: MS Office Plugin - Installation Destination

10. Click "Install" to start the installation.

ecoDMSOfficePlugin-Setup
Bereit zur Installation von ecoDMSOfficePlugin
Klicken Sie auf "Installieren", um die Installation zu starten. Klicken Sie auf "Zurück", um die Installationseinstellungen zu prüfen oder zu ändern. Klicken Sie auf "Abbrechen", um den Assistenten zu beenden.
Zurück
Installieren
Abbrechen

Fig. (similar) 1.51: MS Office Plugin - Start Installation

11. The installation is performed. This operation may take a while.



Fig. (similar) 1.52: MS Office Plugin - Installation

12. The installation is complete. Click "Finish".



Fig. (similar) 1.53: MS Office Plugin - Installation Complete

13. The MS Office programmes can be started again.

1.7 Open-und LibreOffice Plugin

- **Function / component available for: Windows (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **The prerequisite for the use of this plugin are a valid licence and the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer. Java must be installed and must be enabled in Office.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

This plugin allows direct archiving from LibreOffice and OpenOffice.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.
3. Start one of the Office programmes (here: LibreOffice Writer).
4. Click "Menu - Extras - Extension Manager".



Fig. (similar) 1.54: LibreOffice: Extras -> Extension Manager

5. Click the "Add" button in the "Extension Manager".



Fig. (similar) 1.55: LibreOffice: Extension Manager

6. Select the "OXT" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 1.56: LibreOffice: Extension Manager - Select File

7. Confirm any confirmation prompt according to your installation needs.


LibreOffice 4.0.3.3
Stellen Sie sicher, dass keine anderen Benutzer mit der gleichen Installation von LibreOffice arbeiten, wenn Sie eine Extension für alle Benutzer in einer Mehrbenutzerumgebung installieren.
Für wen möchten Sie die Extension installieren?
Nur für mich
Für alle Benutzer
Abbrechen

Fig. (similar) 1.57: Confirmation Prompt: User Environment

8. The installation is complete. You must restart the programme for the final activation of the plugin.



Fig. (similar) 1.58: LibreOffice: Installation Complete

9. The "ecoDMS" icon should now be displayed in the Office applications. As an alternative you can use the new menu item "ecoDMS".

1.8 Thunderbird Add-on

- **Function / component available for: Windows (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **The prerequisite for the use of this Plugin is the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

Incoming and outgoing emails and attachments from "Thunderbird" can be archived with the "ecoDMS""Thunderbird" add-on.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.
3. Start "Thunderbird".
4. Click "Menu - Extras - Add-ons".



Fig. (similar) 1.59: Thunderbird: Extras -> Add-ons

5. Select the function "Install Add-on from File..." in the "Add-ons Manager".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
Alle Add-ons durchsuchen
Auf Updates überprüfen
Kürzlich durchgeführte Updates anzeigen
Add-on aus Datei installieren...
Add-ons automatisch aktualisieren
Alle Add-ons umstellen auf automatische Aktualisierung

Fig. (similar) 1.60: Thunderbird: Install Add-on from File

6. Select the "XPI" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 1.61: Thunderbird: Select Add-on

7. Confirm the confirmation prompt and click "Install Now" to start the installation.


Software-Installation
Sie sollten Add-ons nur von Quellen installieren, denen Sie vertrauen.
Böswillige Software kann Dateien auf Ihrem Computer beschädigen oder Ihre Privatsphäre verletzen.
Sie haben folgendes Add-on zur Installation ausgewählt:
ecoDMSThunderbirdAddon (Autor nicht verifiziert)
file:///C:/Users/applord/Desktop/ecoDMS/ecoDMSThunderbirdAddon.xpi
Jetzt installieren
Abbrechen

Fig. (similar) 1.62: Thunderbird: Install Add-on

8. To finalise the installation and to conclude the activation of the function, you must restart "Thunderbird". To do so, click "Restart Now".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
ecoDMSThunderbirdAddon wird installiert, wenn Sie Thunderbird neu starten.
Jetzt neu starten
Alle Add-ons durchsuchen
ecoDMSThunderbirdAddon wird installiert, sobald Sie Thunderbird neu starten.
Jetzt neu starten
Rückgängig
ecoDMSThunderbirdAddon 1.2
ecoDMS Thunderbird Addon is a Thunderbird Addon for ecoDMS.
Mehr

Fig. (similar) 1.63: Thunderbird: Restart

9. The ecoDMS function is now installed as an extension and is available as an executable function on the toolbar of the programme.



Fig. (similar) 1.64: Thunderbird: ecoDMS Installation Complete

1.9 postgreSQL: Manually Installation

- **Function / component available for: Windows (according to system requirements)**
- **If ecoDMS has been uninstalled and you want to reinstall, the computer must be restarted first.**
- **Before installing a new version of ecoDMS / before updating/ upgrading ecoDMS, a full and clean backup of the database should always be created.**
- **If postgreSQL is already installed, the installation of the ecoDMS server does not create a new instance. A new database (ecodms) is created in the existing instance.**
- **If postgreSQL was installed manually, you must disable the postgreSQL installation when the ecoDMS server is installed afterwards.**
- **If postgreSQL was installed manually, ensure that it was the postgreSQL version supported by ecoDMS (postgreSQL 9.3.X - 32bit). During the installation, the access data for the existing postgreSQL database is requested. If the existing postgreSQL version does not match the ecoDMS version, postgreSQL - if not disabled in the ecoDMS installer - is installed parallel to the existing system.**
- **If postgreSQL was installed manually, ensure that the postgre service is started before the ecoDMS server starts. Otherwise the ecoDMS server can not be started.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

You need the postgreSQL database in order to install and use the ecoDMS Server successfully. Usually the database is installed together with the ecoDMS Server. However, if a manual installation is planned or required, complete the following steps.

1. If an error occurred in the postgreSQL installation during the installation of the server and the database, uninstall all previously installed ecoDMS components and restart the computer / server.
2. Enter the address http://www.postgresql.org in your internet browser
3. Click the menu item Downloads.
4. Select an operating system (here as an example: Windows)
5. Click “oneClickInstaller” in the download area.
6. Now select the Windows 8.4.X.X version.
7. A download window opens.
8. Start the download of postgreSQL-8.4.X-X-windows.exe and save the file on your computer in a destination folder (for example desktop).
9. To open the console
   a) in Windows 7, click the start icon (Windows icon) and then enter the command **cmd** in the entry window

   b) in Windows XP, click Start -> Execute on the toolbar and then enter the command **cmd**.
10. Then enter the following command in the open window:
    cd Destination folder
    (Example: cd Desktop)
11. Now press Enter
12. Enter the following command:
    File name–install_runtimes 0
    (Example: postgreSQL-8.4.X-X-windows --install_runtimes 0)
13. Press Enter again
14. Now follow the installation wizard.

1.10 Activate License

To activate your license please read the ecoDMS manual. In the chapter "Settings - Settings - License" this process is described in detail.

2 Windows Uninstallations

The following section describes how to uninstall ecoDMS components under Windows.

2.1 ecoDMS Server

- **Function / component available for: Windows (according to system requirements)**
- **If the installation is a standard installation (ecoDMS Server (ecoSIMS) including database via the ecoDMS installer) and you delete ecoDMS server components, all ecoDMS data is also deleted irrevocably. You can only restore all the archived files, information settings etc. if you created a comprehensive and clean backup of the entire database before uninstalling. Without a backup you will not be able to restore your data after uninstalling.**
- **If ecoDMS has been uninstalled and you want to reinstall, the computer must be restarted first.**

1. You must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 2.1: Exit Connection Manager

2. Select -> Programmes -> "ecoDMS Server" in the control panel.
3. Use the "Uninstall" function.
4. Confirm the dialogue box with "Yes".
5. The first uninstallation steps start. This operation may take a while.
6. The uninstall process is performed. This operation may take a while.
7. The uninstallation is complete. The "ecoDMS server" was removed form your system. If you want to reinstall ecoDMS again afterwards, you MUST restart your computer first.

2.2 ecoDMS Client

1. Frist, exit the “Connection Manager.”



Fig. (similar) 2.2: Exit Connection Manager

2. Select Programs -> "ecoDMS" in the control panel.
3. Use the "Uninstall" function.
4. Confirm the dialogue box with "Yes".
5. The uninstall process is performed. This operation may take a while.
6. The uninstallation is complete and "ecoDMS" was removed from your system.

2.3 ecoICE Client

1. Frist, exit the “Connection Manager.”



Fig. (similar) 2.3: Exit Connection Manager

2. Select Programs -> "ecoICE" in the control panel.
3. Use the "Uninstall" function.
4. Confirm the dialogue box with "Yes".
5. The uninstall process is performed. This operation may take a while.
6. The uninstallation is complete and "ecoICE" was removed from your system.

2.4 ecoDMS PDF/A Printer

1. Select Programs -> "ecoDMS Printer" in the control panel.
2. Use the "Uninstall" function.
3. Confirm the dialogue box with "Yes".
4. The uninstall process is performed. This operation may take a while.
5. The uninstallation is complete and the "ecoDMS Printer " was removed from your system.

2.5 Microsoft Office Plugin

1. First, exit all Office Applications.
2. Select Programs -> "ecoDMS Office Plugin" in the control panel.
3. Use the "Uninstall" function.
4. The uninstallation is prepared.



Fig. (similar) 2.4: MS Office Plugin - Uninstallation: Preparation

5. The uninstall process is performed. This operation may take a while.



Fig. (similar) 2.5: MS Office Plugin - Uninstallation: Execution

6. The uninstallation is complete and the "ecoDMS MS Office Plugin" was removed from your system.

2.6 Open-and LibreOffice

1. Start one of the Office programmes (here: LibreOffice Writer).
2. Click "Menu - Extras - Extension Manager".



Fig. (similar) 2.6: LibreOffice: Extras -> Extension Manager

3. Select the "ecoDMS Plugin" in the "Extension Manager" and click the "Remove" button.



Fig. (similar) 2.7: LibreOffice: Extension Manager

4. Confirm any confirmation prompt with "OK".


LibreOffice 4.1.2.3
Stellen Sie sicher, dass keine anderen Anwender mit der gleichen LibreOffice Installation arbeiten, wenn Sie gemeinsam genutzte Extensions in einer Mehrbenutzerumgebung ändern.
Klicken Sie 'OK', um die Extension zu entfernen.
Klicken Sie 'Abbrechen', um das Entfernen abzubrechen.
OK
Abbrechen

Fig. (similar) 2.8: Confirmation Prompt: User Environment

5. You have now uninstalled the plugin. You must restart the programme to remove the plugin completely.

2.7 Thunderbird Add-on

1. Start "Thunderbird".
2. Click "Menu - Extras - Add-ons".



Fig. (similar) 2.9: Thunderbird: Extras -> Add-ons

3. Select the "ecoDMSThunderbirdAdd-on" extension in the "Add-ons Manager" and click the "Remove" button.



Fig. (similar) 2.10: Thunderbird: Uninstall Add-on

4. To finalise the uninstall process and to remove the function completely, you must restart "Thunderbird". To do so, click "Restart Now".



Fig. (similar) 2.11: Thunderbird: Restart

3 Ubuntu / Debian Installations

The following section describes how to install the available ecoDMS components under Ubuntu and Debian.

3.1 Edit Editor & apt Sources

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **Before installing a new version of ecoDMS / before updating/ upgrading ecoDMS, a full and clean backup of the database should always be created.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**
- **Before you can install the components, you must install an editor for the console. In addition, the apt sources must be edited in accordance with this installation manual.**
- **In case of an upgrade (eg from 12.05 to 14.08), the entries of the old version must be deleted in the sources.list first on Ubuntu and Debian.**

Before you can install the ecoDMS components, some preparations are required.

1. Open the console (terminal) and enter the following commands:
2. First install the "mc-Editor" with
   sudo apt-get install mc
3. Now open the "sources.list" file for editing as follows:
   sudo mcedit /etc/apt/sources.list
   a) You can also create your own sources list for the installation as follows:
   sudo mcedit /etc/apt/sources.list.d/ecodms.list
4. Add the following rows (in accordance with your operating system) to the end of the file:
   - 32bit / Ubuntu 12.04 LTS
     deb http://www.ecodms.de/ecodms_140832/precise /
   - 64bit / Ubuntu 12.04 LTS
     deb http://www.ecodms.de/ecodms_140864/precise /
   - 32bit / Ubuntu 14.04 LTS
     deb http://www.ecodms.de/ecodms_140832/trusty /
   - 64bit / Ubuntu 14.04 LTS
     deb http://www.ecodms.de/ecodms_140864/trusty /
   - 32bit / Debian Wheezy
     deb http://www.ecodms.de/ecodms_140832/wheezy /
   - 64bit / Debian Wheezy
     deb http://www.ecodms.de/ecodms_140864/wheezy /

- 32bit / Debian Jessie
  deb http://www.ecodms.de/ecodms_140832/jessie /
- 64bit / Debian Jessie
  deb http://www.ecodms.de/ecodms_140864/jessie /

5. Save your entry with "F2".
6. Exit the editor with"F10" or "ESC" (depending on the operating system).
7. Import the "Public Key" of "ecoDMS Repositories":
   wget -O - http://www.ecodms.de/gpg/public.key | sudo apt-key add -
8. Before you can install the individual components, the package sources must be updated with
   sudo apt-get update

3.2 ecoDMS Server

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **Before installing a new version of ecoDMS / before updating/ upgrading ecoDMS, a full and clean backup of the database should always be created.**
- **After an upgrade, a downgrade is only possible to an older ecoDMS version when there is a full backup of the previous version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**
- **If ecoDMS has been uninstalled and you want to reinstall, the computer must be restarted first.**
- **postgreSQL and Java are essential for the use and installation of the ecoDMS server.**
- **The database folder (postgreSQL) must not contain any spaces, umlauts or special characters and must be located on a local hard disk. To do so, do not use a network drive or an NAS drive (no share folder).**
- **If postgreSQL is already installed, the installation of the ecoDMS server does not create a new instance. A new database (ecodms) is created in the existing instance.**
- **If postgreSQL was installed manually, ensure that it was the postgreSQL version supported by ecoDMS (postgreSQL 9.3.X - 32bit). During the installation, the access data for the existing postgreSQL database is requested. If the existing postgreSQL version does not match the ecoDMS version, postgreSQL - if not disabled in the ecoDMS installer - is installed parallel to the existing system.**
- **If postgreSQL was installed manually, ensure that the postgre service is started before the ecoDMS server starts. Otherwise the ecoDMS server can not be started.**
- **Before you can install the components, you must install an editor for the console. In addition, the apt sources must be edited in accordance with this installation manual.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 3.1: Exit Connection Manager

2. A precondition for this installation is that the "apt-sources" were edited as described in this manual.
3. Open the console.
4. Start the installation with

   sudo apt-get install ecodmsserver
5. Confirm the displayed questions / warnings with YES by entering Y [...]Do you want to continue?[...] [...]Do you want to install these packages without checking?[...]
   - This process may take a while.
6. Select language and confirm with “Enter”.
7. The "Licence Agreement" is displayed. Please read the agreement carefully and accept it.
   - Use the Tab key to skip to "OK" and confirm with "Enter".
8. The installation now continues.
   - This process may take a while.

3.2.1 ecoDMS Server in a virtualised Linux environment

If the ecoDMS server is installed in a virtualised Linux environment, there may be some difficulties when starting the ecoDMS server, depending on the type of virtualisation. The cause of the issue is that the random values supplied by the VM required to generate keys are either missing or insufficient. To solve this issue, please enter the following commands in the console:

- sudo service ecodms stop
- sudo apt-get install haveged
- sudo service ecodms start

3.3 ecoDMS Client

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Before you can install the components, you must install an editor for the console. In addition, the apt sources must be edited in accordance with this installation manual.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 3.2: Exit Connection Manager

2. A precondition for this installation is that the "apt-sources" were edited as described in this manual.
3. Open the console.
4. Start the installation with

   sudo apt-get install ecodmsclient
5. Confirm the displayed question / warning with YES by entering Y [...]Do you want to install the packages without checking?[...]
   - This process may take a while.
6. Select language and confirm with “Enter”.
7. The installation is now performed and is then complete Debian.
   - This process may take a while.

3.4 ecoICE Client

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Before you can install the components, you must install an editor for the console. In addition, the apt sources must be edited in accordance with this installation manual.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 3.3: Exit Connection Manager

2. A precondition for this installation is that the "apt-sources" were edited as described in this manual.
3. Open the console.
4. Start the installation with

   sudo apt-get install ecoice
5. Confirm the displayed question / warning with YES by entering Y [...]Do you want to install the packages without checking?[...]
   - This process may take a while.
6. Select language and confirm with “Enter”.
7. The installation is performed.
   - This process may take a while.

3.5 ecoDMS PDF/A Printer

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Before you can install the components, you must install an editor for the console. In addition, the apt sources must be edited in accordance with this installation manual.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

If you want to make an upgrade (eg from 12.05 to 14.08), please read the PDF "Important Upgrade Information" carefully.

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 3.4: Exit Connection Manager

2. A precondition for this installation is that the "apt-sources" were edited as described in this manual.
3. Open the console.
4. Start the installation with

   sudo apt-get install ecodmsprinter
5. Confirm the displayed question / warning with YES by entering Y [...]Do you want to install the packages without checking?[...]
   - This process may take a while.
6. The installation is performed.
   - This process may take a while.

3.6 Open-und LibreOffice Plugin

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **The prerequisite for the use of this plugin are a valid licence and the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer. Java must be installed and must be enabled in Office.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

This plugin allows direct archiving from LibreOffice and OpenOffice.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.
3. Start one of the Office programmes (here: LibreOffice Writer).
4. Click "Menu - Extras - Extension Manager".



Fig. (similar) 3.5: LibreOffice: Extras -> Extension Manager

5. Click the "Add" button in the "Extension Manager".



Fig. (similar) 3.6: LibreOffice: Extension Manager

6. Select the "OXT" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 3.7: LibreOffice: Extension Manager - Select File

7. Confirm any confirmation prompt according to your installation needs.


LibreOffice 4.0.3.3
Stellen Sie sicher, dass keine anderen Benutzer mit der gleichen Installation von LibreOffice arbeiten, wenn Sie eine Extension für alle Benutzer in einer Mehrbenutzerumgebung installieren.
Für wen möchten Sie die Extension installieren?
Nur für mich
Für alle Benutzer
Abbrechen

Fig. (similar) 3.8: Confirmation Prompt: User Environment

8. The installation is complete. You must restart the programme for the final activation of the plugin.



Fig. (similar) 3.9: LibreOffice: Installation Complete

9. The "ecoDMS" icon should now be displayed in the Office applications. As an alternative you can use the new menu item "ecoDMS".

Fig. (similar) 3.10: ecoDMS-Icon

3.7 Thunderbird Add-on

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **The prerequisite for the use of this Plugin is the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

Incoming and outgoing emails and attachments from "Thunderbird" can be archived with the "ecoDMS""Thunderbird" add-on.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.
3. Start "Thunderbird".
4. Click "Menu - Extras - Add-ons".



Fig. (similar) 3.11: Thunderbird: Extras -> Add-ons

5. Select the function "Install Add-on from File..." in the "Add-ons Manager".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
Alle Add-ons durchsuchen
Auf Updates überprüfen
Kürzlich durchgeführte Updates anzeigen
Add-on aus Datei installieren...
Add-ons automatisch aktualisieren
Alle Add-ons umstellen auf automatische Aktualisierung

Fig. (similar) 3.12: Thunderbird: Install Add-on from File

6. Select the "XPI" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 3.13: Thunderbird: Select Add-on

7. Confirm the confirmation prompt and click "Install Now" to start the installation.


Software-Installation
Sie sollten Add-ons nur von Quellen installieren, denen Sie vertrauen.
Böswillige Software kann Dateien auf Ihrem Computer beschädigen oder Ihre Privatsphäre verletzen.
Sie haben folgendes Add-on zur Installation ausgewählt:
ecoDMSThunderbirdAddon (Autor nicht verifiziert)
file:///C:/Users/applord/Desktop/ecoDMS/ecoDMSThunderbirdAddon.xpi
Jetzt installieren
Abbrechen

Fig. (similar) 3.14: Thunderbird: Install Add-on

8. To finalise the installation and to conclude the activation of the function, you must restart "Thunderbird". To do so, click "Restart Now".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
ecoDMSThunderbirdAddon wird installiert, wenn Sie Thunderbird neu starten.
Jetzt neu starten
Alle Add-ons durchsuchen
ecoDMSThunderbirdAddon wird installiert, sobald Sie Thunderbird neu starten.
Jetzt neu starten
Rückgängig
ecoDMSThunderbirdAddon 1.2
ecoDMS Thunderbird Addon is a Thunderbird Addon for ecoDMS.
Mehr

Fig. (similar) 3.15: Thunderbird: Restart

9. The ecoDMS function is now installed as an extension and is available as an executable function on the toolbar of the programme.



Fig. (similar) 3.16: Thunderbird: ecoDMS Installation Complete

3.8 Activate License

To activate your license please read the ecoDMS manual. In the chapter "Settings - Settings - License" this process is described in detail.

4 Ubuntu/Debian Uninstallations

The following section describes how to uninstall ecoDMS components under Ubuntu and Debian.

4.1 ecoDMS Server

- **Function / component available for: Ubuntu, Debian (according to system requirements)**
- **If the installation is a standard installation (ecoDMS Server (ecoSIMS) including database via the ecoDMS installer) and you delete ecoDMS server components, all ecoDMS data is also deleted irrevocably. You can only restore all the archived files, information settings etc. if you created a comprehensive and clean backup of the entire database before uninstalling. Without a backup you will not be able to restore your data after uninstalling.**
- **If ecoDMS has been uninstalled and you want to reinstall, the computer must be restarted first.**

1. First, exit all "Connection Managers" and disconnect all existing connections to the ecoDMS server.



Fig. (similar) 4.1: Exit Connection Manager

2. Open the console.
3. Perform the uninstall process with the following command:
   sudo apt-get remove ecodmsserver

4.2 ecoDMS Client

1. First, exit all "Connection Managers" and disconnect all existing connections to the ecoDMS server.



Fig. (similar) 4.2: Exit Connection Manager

2. Open the console.
3. Perform the uninstall process with the following command:
   sudo apt-get remove ecodmsclient

4.3 ecoICE Client

1. First, exit all "Connection Managers" and disconnect all existing connections to the ecoDMS server.



Fig. (similar) 4.3: Exit Connection Manager

2. Open the console.
3. Perform the uninstall process with the following command:
   sudo apt-get remove ecoice

4.4 ecoDMS PDF/A Printer

1. Open the console.
2. Perform the uninstall process with the following command:
   sudo apt-get remove ecodmsprinter

4.5 Open-and LibreOffice Plugin

1. Start one of the Office programmes (here: LibreOffice Writer).
2. Click "Menu - Extras - Extension Manager".



Fig. (similar) 4.4: LibreOffice: Extras -> Extension Manager

3. Select the "ecoDMS Plugin" in the "Extension Manager" and click the "Remove" button.



Fig. (similar) 4.5: LibreOffice: Extension Manager

4. Confirm any confirmation prompt with "OK".


LibreOffice 4.1.2.3
Stellen Sie sicher, dass keine anderen Anwender mit der gleichen LibreOffice Installation arbeiten, wenn Sie gemeinsam genutzte Extensions in einer Mehrbenutzerumgebung ändern.
Klicken Sie 'OK', um die Extension zu entfernen.
Klicken Sie 'Abbrechen', um das Entfernen abzubrechen.
OK
Abbrechen

Fig. (similar) 4.6: Confirmation Prompt: User Environment

5. You have now uninstalled the plugin. You must restart the programme to remove the plugin completely.

4.6 Thunderbird Add-on

1. Start "Thunderbird".
2. Click "Menu - Extras - Add-ons".



Fig. (similar) 4.7: Thunderbird: Extras -> Add-ons

3. Select the "ecoDMSThunderbirdAdd-on" extension in the "Add-ons Manager" and click the "Remove" button.



Fig. (similar) 4.8: Thunderbird: Uninstall Add-on

4. To finalise the uninstall process and to remove the function completely, you must restart "Thunderbird". To do so, click "Restart Now".



Fig. (similar) 4.9: Thunderbird: Restart

5 MacOS Installations

The following section describes how to install the available ecoDMS components under MacOS.

5.1 ecoDMS & ecoICE Clients

- **Function / component available for: MacOS (according to system requirements)**
- **During the installation the firewall might inquire whether the application is allowed to access the network. Confirm this with Yes.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist. The ecoSIMS server is not on offer for Mac due to the lack of demand. The same applies to the MS Office plugin, for which the interfaces on the Microsoft side are not complete in a MacOS version. In this case, however, you can use the OpenOffice and LibreOffice plugins. We recommend you use the ecoDMS server under Windows, Ubuntu or Debian (e.g. on a virtual machine). Then you can access the server with the MacOS clients and set up a connection via the connection manager.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**
- **Do not mix the components of an earlier ecoDMS version (eg 12.05, 11.06) with this version.**
- **If you want to upgrade your ecoDMS from a previous version (for example 12.05) to the new major release, you must read the notes in the PDF File -Important Upgrade Information-. If you want to update existing DMS components from Version 14.08 (krusty) with a new 14.08 release, you do not need to uninstall these components first. The new software components can be installed over the existing ones. If you run an update, you should always update ALL components.**

1. If this installation is an update, you must first exit the connection manager and ensure that all connections to ecoDMS are disconnected.



Fig. (similar) 5.1: Exit Connection Manager

2. Download the file for the "ecoDMS and ecoICE Client" at ecodms.de.
3. Unpack the zip file.
4. Execute the installation file "....mpkg".
5. Click "Continue" in the "Introduction Screen".



Fig. (similar) 5.2: MacOS Clients: Introduction

6. Select the language in the “License” Window. You will find a selection box above the license terms.



Fig. (similar) 5.3: MacOS Clients: License (Language)

7. Read the licence agreement carefully and click "Continue".



Fig. (similar) 5.4: MacOS Clients: License Agreement

8. Confirm the licence agreement with "Accept".


Install ecoDMS
To continue installing the software you must agree to the terms of the software license agreement.
Click Agree to continue or click Disagree to cancel the installation and quit the Installer.
Read License
Disagree
Agree
Summary
ecoDMS GmbH
Salierallee 18a
D-52066 Aachen
Tel.: +49 (0) 241 47 57 2-01
Fax: +49 (0) 241 47 57 2-29
E-Mail: info@ecoDMS.de
http://www.ecoDMS.de
Management:
Michael Schmitz (Dipl. -Betrw. [degree in business administration])
Helge Lühmann
Seat of the Company: Aachen
Court of registration: Aachen County Court Register of Companies 19201
Print...
Save...
Go Back
Continue

Fig. (similar) 5.5: MacOS Clients: Accept Licence Agreement

9. Select the installation destination. You can change the suggested path by clicking "Change installation destination".



Fig. (similar) 5.6: MacOS Clients: Installation Destination

10. You may be asked to enter your system access data to continue the installation. Enter your MacOS access data and click "Install Software" to start the installation.


Installer is trying to install new software. Type your password to allow this.
Username: M. Mustermann
Password: ••••••••••
Cancel
Install Software

Fig. (similar) 5.7: MacOS Clients: Enter Access Data

11. The installation is performed. This operation may take a while.



Fig. (similar) 5.8: MacOS Clients: Installation

12. The installation is complete. Click "Close".



Fig. (similar) 5.9: MacOS Clients: Installation Complete

5.2 Open-und LibreOffice Plugin

- **Function / component available for: MacOS (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **The prerequisite for the use of this plugin are a valid licence and the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer. Java must be installed and must be enabled in Office.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist. The ecoSIMS server is not on offer for Mac due to the lack of demand. The same applies to the MS Office plugin,**

for which the interfaces on the Microsoft side are not complete in a MacOS version. In this case, however, you can use the OpenOffice and LibreOffice plugins. We recommend you use the ecoDMS server under Windows, Ubuntu or Debian (e.g. on a virtual machine). Then you can access the server with the MacOS clients and set up a connection via the connection manager.

- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

This plugin allows direct archiving from LibreOffice and OpenOffice.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.
3. Start one of the Office programmes (here: LibreOffice Writer).
4. Click "Menu - Extras - Extension Manager".



Fig. (similar) 5.10: LibreOffice: Extras -> Extension Manager

5. Click the "Add" button in the "Extension Manager".



Fig. (similar) 5.11: LibreOffice: Extension Manager

6. Select the "OXT" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 5.12: LibreOffice: Extension Manager - Select File

7. Confirm any confirmation prompt according to your installation needs.


LibreOffice 4.0.3.3
Stellen Sie sicher, dass keine anderen Benutzer mit der gleichen Installation von LibreOffice arbeiten, wenn Sie eine Extension für alle Benutzer in einer Mehrbenutzerumgebung installieren.
Für wen möchten Sie die Extension installieren?
Nur für mich
Für alle Benutzer
Abbrechen

Fig. (similar) 5.13: Confirmation Prompt: User Environment

8. The installation is complete. You must restart the programme for the final activation of the plugin.



Fig. (similar) 5.14: LibreOffice: Installation Complete

9. The "ecoDMS" icon should now be displayed in the Office applications. As an alternative you can use the new menu item "ecoDMS".

Fig. (similar) 5.15: ecoDMS-Icon

5.3 Thunderbird Add-on

- **Function / component available for: MacOS (according to system requirements)**
- **This feature requires a licence of the ecoDMS full version but can be tested during the full-demo time and is then automatically disabled until a full licence is activated.**
- **The prerequisite for the use of this Plugin is the installation of the current software components of: ecoDMS Server (ecoSIMS), ecoDMS Client and ecoDMS PDF/A Printer.**
- **To use the ecoDMS components, a connection to the ecoDMS server must exist. The ecoSIMS server is not on offer for Mac due to the lack of demand. The same applies to the MS Office plugin, for which the interfaces on the Microsoft side are not complete in a MacOS version. In this case, however, you can use the OpenOffice and LibreOffice plugins. We recommend you use the ecoDMS server under Windows, Ubuntu or Debian (e.g. on a virtual machine). Then you can access the server with the MacOS clients and set up a connection via the connection manager.**
- **You can install server and clients in different languages. The view of the classification attributes and messages depends on the language you have selected for the ecoDMS server component.**

Incoming and outgoing emails and attachments from "Thunderbird" can be archived with the "ecoDMS""Thunderbird" add-on.

1. Download the add-on in the download area at www.ecodms.de.
2. Unpack the zip file.

3. Start "Thunderbird".
4. Click "Menu - Extras - Add-ons".



Fig. (similar) 5.16: Thunderbird: Extras -> Add-ons

5. Select the function "Install Add-on from File..." in the "Add-ons Manager".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
Alle Add-ons durchsuchen
Auf Updates überprüfen
Kürzlich durchgeführte Updates anzeigen
Add-on aus Datei installieren...
Add-ons automatisch aktualisieren
Alle Add-ons umstellen auf automatische Aktualisierung

Fig. (similar) 5.17: Thunderbird: Install Add-on from File

6. Select the "XPI" file for the "ecoDMS Plugin" and click "Open".



Fig. (similar) 5.18: Thunderbird: Select Add-on

7. Confirm the confirmation prompt and click "Install Now" to start the installation.


Software-Installation
Sie sollten Add-ons nur von Quellen installieren, denen Sie vertrauen.
Böswillige Software kann Dateien auf Ihrem Computer beschädigen oder Ihre Privatsphäre verletzen.
Sie haben folgendes Add-on zur Installation ausgewählt:
ecoDMSThunderbirdAddon (Autor nicht verifiziert)
file:///C:/Users/applord/Desktop/ecoDMS/ecoDMSThunderbirdAddon.xpi
Jetzt installieren
Abbrechen

Fig. (similar) 5.19: Thunderbird: Install Add-on

8. To finalise the installation and to conclude the activation of the function, you must restart "Thunderbird". To do so, click "Restart Now".


Add-ons-Manager
Datei Bearbeiten Ansicht Navigation Nachricht Termine und Aufgaben Extras Hilfe
ecoDMSThunderbirdAddon wird installiert, wenn Sie Thunderbird neu starten.
Jetzt neu starten
Alle Add-ons durchsuchen
ecoDMSThunderbirdAddon wird installiert, sobald Sie Thunderbird neu starten.
Jetzt neu starten
Rückgängig
ecoDMSThunderbirdAddon 1.2
ecoDMS Thunderbird Addon is a Thunderbird Addon for ecoDMS.
Mehr

Fig. (similar) 5.20: Thunderbird: Restart

9. The ecoDMS function is now installed as an extension and is available as an executable function on the toolbar of the programme.



Fig. (similar) 5.21: Thunderbird: ecoDMS Installation Complete

6 MacOS Uninstallations

The following section describes how to uninstall ecoDMS components under MacOS.

6.1 ecoDMS & ecoICE Clients

1. Open the "Finder" and select the name of your Mac or your MacBook in the left menu bar.
2. Select the internal drive of your computer.
3. Select the "Program files" subfolder. Here you can see all installed programmes.
4. Drag and drop the ecoDMS or ecoICE programme or programme folder into the recycle bin in the dock.
   a) This uninstalls the programme.
5. If necessary, you can empty the recycle bin later.

6.2 Open-and LibreOffice Plugin

1. Start one of the Office programmes (here: LibreOffice Writer).
2. Click "Menu - Extras - Extension Manager".



Fig. (similar) 6.1: LibreOffice: Extras -> Extension Manager

3. Select the "ecoDMS Plugin" in the "Extension Manager" and click the "Remove" button.



Fig. (similar) 6.2: LibreOffice: Extension Manager

4. Confirm any confirmation prompt with "OK".


LibreOffice 4.1.2.3
Stellen Sie sicher, dass keine anderen Anwender mit der gleichen LibreOffice Installation arbeiten, wenn Sie gemeinsam genutzte Extensions in einer Mehrbenutzerumgebung ändern.
Klicken Sie 'OK', um die Extension zu entfernen.
Klicken Sie 'Abbrechen', um das Entfernen abzubrechen.
OK
Abbrechen

Fig. (similar) 6.3: Confirmation Prompt: User Environment

5. You have now uninstalled the plugin. You must restart the programme to remove the plugin completely.

6.3 Thunderbird Add-on

1. Start "Thunderbird".
2. Click "Menu - Extras - Add-ons".



Fig. (similar) 6.4: Thunderbird: Extras -> Add-ons

3. Select the "ecoDMSThunderbirdAdd-on" extension in the "Add-ons Manager" and click the "Remove" button.



Fig. (similar) 6.5: Thunderbird: Uninstall Add-on

4. To finalise the uninstall process and to remove the function completely, you must restart "Thunderbird". To do so, click "Restart Now".



Fig. (similar) 6.6: Thunderbird: Restart

7 Access Data

The following user is the specified default user in ecoDMS.

- User name: ecodms
- Password: ecodms

We recommend you change the password as soon as possible.



Fig. (similar) 7.1: Berechtigungen des Standard Benutzers

7.1 System Administrator

Apart from the automatically generated user there is also a so-called system administrator. This user works on the system configuration and has the right to make system settings and create new users. This user is not able to archive, view and/or classify documents.

- User name: ecoSIMSAdmin
- Password: ecoSIMSAdmin

For security reasons, this password should be changed immediately after login.

7.2 PostgreSQL Datenbase

If postgreSQL is installed over the ecoDMS installer, the following user information is used for the database:

- User name: postgres
- Password: postgres

If there is already a matching postgreSQL version available because, for example, the database was installed manually, the access data that was assigned during the installation of postgreSQL applies.

7.3 Scaninput Folder

The "Scaninput" folder is a Samba share. A standard user is created during the Ubuntu installation.

- User name: dmsscanner
- Password: dmsscanner

You can also enter any other user created in the Ubuntu system.

8 Troubleshooting & Support

- **We offer a remote maintenance service in which we deal with any problems immediately. We collect the information necessary to solve the issue directly and - or carry out any service, support and training services the customer wishes. We recommend you close any applications that might contain personal or confidential information before you request and accept a remote maintenance session and make a complete backup. In order to save time and money, we also recommend you to start the support tool (pcvisit) bevor you call us. More details under www.ecodms.de**

We will be happy to support you when you use ecoDMS: To do so, we offer various service and support options:

- In our knowledge database you can find helpful articles on different technical topics:
  http://ecodms.de/index.php/en/support/faq
- The user manuals provide a detailed description of the individual installation steps, settings and functions:
  http://ecodms.de/index.php/en/download/productinformation-manuals
- In addition, our free training videos provide the perfect start to ecoDMS:
  http://ecodms.de/index.php/de/product1/videos
- You can also select various support packages which give you direct support from the manufacturer based on the "Prepaid Principle". Whether you need technical advice or have questions regarding contents, general support, or installation service, or user training, our flexible service packages offer a professional all-round carefree service during our office hours including a free support hotline and/or email support. You can find an overview of the support packages at:
  http://ecodms.de/index.php/en/support/support-packages
- If you do not have a support package, our Support Hotline is available for a fee. You can find the number at:
  http://ecodms.de/index.php/en/support/support-hotlines
- You can find further information on our services and support at:
  http://ecodms.de/index.php/en/service

9 System Requirements

You can read more about the system requirements for this ecoDMS version on our website. Click the following link for the necessary technical details:
http://ecodms.de/index.php/en/support/system-requirements